

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	247	"reed valve" and "poppet valve"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/23 13:41
L2	106	"reed valve" and "poppet valve" and compressor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/23 13:44
L3	158	"discharge valve" and "poppet valve" and compressor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/23 13:46
L4	75	("discharge valve" same "poppet valve") and compressor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/23 13:46
S1	642	137/512.15.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/23 09:44
S2	370	137/512.4.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/18 11:45
S3	693	137/855.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/18 13:49
S4	342	137/856.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/18 14:10
S5	136	137/857.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/18 14:13
S6	127	137/858.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/18 14:19

S7	533	417/559.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/22 08:41
S8	961	417/569.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/22 09:19
S9	642	137/512.15.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/22 10:00
S10	370	137/512.4.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/22 09:13
S11	693	137/855.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/22 09:13
S12	342	137/856.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/22 09:13
S13	136	137/857.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/22 09:13
S14	127	137/858.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/22 10:00
S15	533	417/559.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/22 09:13
S16	154	valve and bending and (S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15)	USPAT	OR	OFF	2005/08/22 09:23
S17	17	valve NEAR bending and (S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15)	USPAT	OR	OFF	2005/08/22 09:30

S18	0	valve NEAR "bending strength" and (S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15)	USPAT	OR	ON	2005/08/22 09:31
S19	3	"bending strength" and (S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15)	USPAT	OR	ON	2005/08/22 09:31
S20	136	137/857.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/22 10:06
S21	342	137/856.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/22 10:22
S22	693	137/855.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/22 11:52
S25	520	"discharge valve" AND "reed" AND "opening" AND (bending OR thickness OR material)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/23 10:23
S26	64	"variable displacement compressor" AND "reed valve"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/22 16:07
S27	0	"variable displacement compressor" NEAR "reed valve"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/22 16:07
S28	7	"variable displacement compressor" SAME "reed valve"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/22 16:07
S29	2	"5143027".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/23 09:44
S30	319	"reed valve" same ("opening" with (plurality or multiple or two))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/23 11:00

S31	1	"reed valve" same ("opening" with (plurality or multiple or two)) and "small width portion"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/23 11:01
S32	0	"reed valve" same ("opening" with (plurality or multiple or two)) and "small\$3 width"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/23 11:01
S33	1	"reed valve" and "small width portion"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/23 11:02
S34	211	"reed valve" and (opening same width)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/23 13:41